

Sold By: UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

BACFIGHTER UNITED 64



FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

BACFIGHTER UNITED 64

Disinfectant - Sanitizer - Fungicide - Virucide - With Organic Soil Tolerance For Hospitals, Nursing Homes, Institutional, Industrial, School, Restaurant, Food Handling and Process Areas, Bar and Institutional Kitchen Use.

ACTIVE INGREDIENTS:

Alkyl (C14 60%, C16 30%, C12 5%, C18 5%) dimethyl benzyl ammonium chloride..... 5.0%

Alkyl (C12 68%, C14 32%) dimethyl ethylbenzyl ammonium chloride 5.0%

INERT INGREDIENTS: 90.0%

TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 10324-63-9250 EPA EST. NO 8370-IL-1

Net Contents: 1/2 Gallon (64 Fl. Ounces)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected. Do not use this product to clean or disinfect glassware, utensils, dishes or interior surfaces of appliances.

DISINFECTANT AND VIRUCIDAL - INSTITUTIONS AND NON-MEDICAL DILUTION CHART

Ounces of Product	Amount of Water	Ounces of Product	Amount of Water
0.2 ounces	1 quart	2.0 ounces	2 1/2 gallons
0.4 ounces	1/2 gallon	4.0 ounces	5 gallons
0.8 ounces	1 gallon	8.0 ounces	10 gallons

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES: At 4 fluid ounces of this product per 5 gallons of water use level (625 ppm active) and with a 10-minute contact time, this product is bactericidal according to the AOAC Use Dilution Test method on hard non-porous surfaces modified in the presence of 5% organic serum against:

Botrytis cinerea, Burkholderia cepacia, Campylobacter jejuni, Corynebacterium ammoniogenes, Escherichia coli O157:H7, Enterococcus faecium Vancomycin Resistant (VRE), Klebsiella pneumoniae, Listeria monocytogenes, Proteus mirabilis, Pseudomonas aeruginosa, Salmonella enterica, Salmonella typhi, Shigella sonnei, Staphylococcus aureus, Staphylococcus aureus Methicillin resistant, Community Associated Methicillin Resistant Staphylococcus aureus (CA MRSA), Yersinia enterocolitica

VIRUCIDAL PERFORMANCE: At 4 ounces per 5 gallons of water use level (or equivalent use dilution) (625 ppm active), this product was evaluated with a 10-minute contact time in the presence of 5% serum and found to be effective against the following viruses on hard, non-porous surfaces:

Avian influenza A Turkey/Wisconsin virus, Avian Influenza A H5N1 virus, Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex type 1 virus, Herpes Simplex type 2 virus, HIV-1 w/ 2 minute contact time, Human Coronavirus, Infectious Bronchitis Virus, Influenza A2/Japan Virus, Influenza A H1N1 virus, Vaccinia virus

FUNGICIDAL PERFORMANCE: At 4 ounces per 5 gallons of water use level (or equivalent use dilution) (625 ppm active) and with a 10-minute contact time, this product is effective in the presence of 5% blood serum against the following on hard non-porous surfaces such as locker rooms, dressing rooms, shower and bath areas and exercise facilities:

Trichophyton mentagrophytes - athlete's foot fungus/ a cause of Ringworm, Aspergillus niger

PREPARATION OF DISINFECTION/VIRUCIDAL/FUNGICIDAL USE SOLUTION: For heavily soiled areas, a preliminary cleaning is required. Mix 4 ounces with 5 gallons of water to disinfect hard non-porous surfaces. Apply use solution using a brush, sponge, cloth, mop, auto scrubber, mechanical spray device or by immersion so as to thoroughly wet surfaces. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, cloth, or sponge. Treated surfaces must remain wet for 10 minutes. Allow to air dry. Rinse all treated surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redeposition of soil. Prepare a fresh solution at least daily or when use solution becomes visibly dirty.

FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A H5N1 VIRUS: For use in hospitals, hotels, motels, schools and other non-animal use sites, follow the **PREPARATION OF DISINFECTION/VIRUCIDAL/FUNGICIDAL USE SOLUTION** directions.

This product is not for use on Medical device surfaces.

***KILLS HIV, HCV AND HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES /OBJECTS PREVIOUSLY SOILED WITH BLOOD/ BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard nonporous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) associated with AIDS, Hepatitis C virus (HCV) and Hepatitis B virus (HBV).

***SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS*.**

Personal Protection: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard nonporous surfaces and objects before application of this product.

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: For HIV, leave hard nonporous surfaces wet for two minutes with a 4-ounce per 5 gallons of water use solution. This contact time will not control other common types of viruses and bacteria. For HBV and HCV, leave hard nonporous surfaces wet for 10 minutes with a 4-ounce per 5 gallons use solution.

FOOD CONTACT PROCESSING EQUIPMENT SANITIZING DIRECTIONS

Before use as a sanitizer in public eating places, food products and packaging materials must be removed from the room or carefully protected. Prior to application, remove gross food particles and soil by a pre-rinse or pre-scrape and when necessary, pre-soak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before application of the sanitizing solution.

FOOD CONTACT SANITIZING PERFORMANCE: At 1 ounce per 4 gallons of water (200 ppm active), this product eliminates 99.999% of the following bacteria in 60 seconds in 500 ppm hard water according to the Germicidal and Detergent Sanitizing Action of Disinfectants test:

Aeromonas hydrophila, Campylobacter jejuni, Clostridium perfringens, Enterobacter sakazakii, Escherichia coli, Enterococcus faecalis Vancomycin resistant, Escherichia coli O157:H7, Escherichia coli O111:H8, Listeria monocytogenes, Shigella dysenteriae, Staphylococcus aureus, Streptococcus pyogenes, Yersinia enterocolitica, Salmonella typhi

FOOD CONTACT SANITIZING DILUTION GUIDE: To prepare a 200, 300 or 400 ppm active solution, use the following dilution table. Prepare the correct dilution rate based upon the appropriate use site.

Active solution	1 gallon	4 gallons	10 gallons	20 gallons
200 ppm	1/4 ounce	1.0 ounce	2 1/2 ounces	5.0 ounces
300 ppm	0.375 ounces	1 1/2 ounces	3 3/4 ounces	7 1/2 ounces
400 ppm	1/2 ounce	2.0 ounces	5.0 ounces	10.0 ounces

TO SANITIZE IMMOBILE HARD NONPOROUS ITEMS such as tanks, chopping blocks, countertops, refrigerated storage and display equipment, food processing equipment, tables, picnic tables, appliances, stovetops and food work areas: Flood the area with appropriate ppm active solution for at least 1 minute, making sure to wet all surfaces completely. Allow sanitized surfaces to adequately drain before contact with food. **NO POTABLE WATER RINSE IS ALLOWED.** Prepare a fresh solution at least daily or when use solution becomes visibly dirty. The used sanitizing solution must not be reused for sanitizing, but can be reused for other purposes such as cleaning.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARD: This product is toxic to fish.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **CONTAINER HANDLING:** Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.