

Issue Date: 05-Mar-2013

Revision Date: 21-Apr-2015

Version 2

## 1. IDENTIFICATION

**Product Identifier**

**Product Name** United 303 TRIUMPH

**Other means of identification**

**SDS #** UNITED-303

**Recommended use of the chemical and restrictions on use**

**Recommended Use** Rust Converter and Primer Coat.  
**Uses Advised Against** For industrial and institutional use only.

**Details of the supplier of the safety data sheet**

**Supplier Address**

United Laboratories, Inc.  
320 37th Avenue  
St. Charles, IL 60174  
www.unitedlabsinc.com  
www.unitedlabsinc.ca

**Emergency Telephone Number**

**Company Phone Number** 800-323-2594 (to reorder)  
**Emergency Telephone (24 hr)** INFOTRAC 1-800-535-5053 (North America)  
1-352-323-3500 (International)

## 2. HAZARDS IDENTIFICATION

**Appearance** Red-brown, heavy viscous liquid

**Physical State** Liquid

**Odor** No distinct odor

**Classification**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 1A

**Signal Word**

**Danger**

**Hazard Statements**

Causes skin irritation  
Causes serious eye damage  
May cause cancer



**Precautionary Statements - Prevention**

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Use personal protective equipment as required.  
 Wash face, hands and any exposed skin thoroughly after handling.

**Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a poison center or doctor/physician.  
 IF ON SKIN: Wash with plenty of soap and water.  
 Take off contaminated clothing and wash it before reuse.  
 If skin irritation occurs: Get medical advice/attention.

**Precautionary Statements - Storage**

Store according to local rules and regulations.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Other Hazards**

Toxic to aquatic life with long lasting effects.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Iron(III) oxide	1309-37-1	10-20
Zinc Phosphate	7779-90-0	1-10
Talc	14807-96-6	1-10
Phosphoric Acid	7664-38-2	1-10
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	<1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

**First Aid Measures**

<b>General Advice</b>	If exposed or concerned: Get medical advice/attention.
<b>Eye Contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>Skin Contact</b>	Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. If symptoms develop, seek medical attention.
<b>Ingestion</b>	Call a physician or poison control center immediately. Do not induce vomiting unless directed by medical personnel.

**Most important symptoms and effects**

<b>Symptoms</b>	Causes skin irritation. Causes serious eye damage. May cause cancer.
-----------------	--

---

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

This product will not burn, but its plastic container may-use whatever medium is suitable for the surrounding fire.

**Unsuitable Extinguishing Media** Not determined

**Specific Hazards Arising from the Chemical**

None known.

**Hazardous Combustion Products** When strongly heated, as in a fire, this product may produce carbon monoxide, carbon dioxide and small amounts of phosphorus oxides.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool fire exposed containers with water.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Use personal protective equipment as required.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Collect spills with sawdust, oil sorb or other inert material. Place in suitable container for disposal.

**7. HANDLING AND STORAGE****Precautions for safe handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Thoroughly launder contaminated clothing before reuse.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store locked up. Keep containers tightly closed when not in use. This product will settle during storage. If it settles, vigorous stirring with an electric stirrer will restore it. Store in a cool (<49°C/ <102°F) dry place away from oxidizers.

**Incompatible Materials** Strong oxidizing agents.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Iron(III) oxide 1309-37-1	TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> fume and total dust Iron oxide (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction regulated under Rouge	IDLH: 2500 mg/m <sup>3</sup> Fe dust and fume TWA: 5 mg/m <sup>3</sup> Fe dust and fume
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	(vacated) TWA: 2 mg/m <sup>3</sup> respirable dust <1% Crystalline silica, containing no Asbestos TWA: 20 mppcf if 1% Quartz or more, use Quartz limit	IDLH: 1000 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> containing no Asbestos and <1% Quartz respirable dust
Phosphoric Acid 7664-38-2	STEL: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup> (vacated) STEL: 3 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Barium Sulfate 7727-43-7	TWA: 5 mg/m <sup>3</sup> inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Colloidal silica 7631-86-9	-	(vacated) TWA: 6 mg/m <sup>3</sup> <1% Crystalline silica TWA: 20 mppcf : (80)/(%) SiO <sub>2</sub> mg/m <sup>3</sup> TWA	IDLH: 3000 mg/m <sup>3</sup> TWA: 6 mg/m <sup>3</sup>
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Provide adequate ventilation and local exhaust is generally adequate.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Safety goggles are recommended.

**Skin and Body Protection** Chemical resistant gloves recommended for prolonged exposure. Shirts with long sleeves are recommended.

**Respiratory Protection** Dust mask is recommended for spray application only. If TLV is exceeded, use a NIOSH/MSHA approved self-contained breathing apparatus respirator.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	No distinct odor
<b>Appearance</b>	Red-brown, heavy viscous liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Red-brown		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	1-2	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined °C / 212 °F	
Flash Point	None	
Evaporation Rate	Product cures by evaporation of water	
Flammability (Solid, Gas)	Liquid-Not applicable	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Low-approximately that of water	
Vapor Density	1	(Air=1)
Specific Gravity	1.20	(Water = 1)
Water Solubility	Product is dilutable, but pigments are not water-soluble	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
VOC Content	<1%	

**10. STABILITY AND REACTIVITY**

**Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to Avoid**

Keep out of reach of children.

**Incompatible Materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**

When strongly heated, as in a fire, this product may produce carbon monoxide, carbon dioxide and small amounts of phosphorus oxides.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

**Product Information**

**Eye Contact** Causes serious eye damage.

**Skin Contact** Causes skin irritation.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Iron(III) oxide 1309-37-1	> 10000 mg/kg ( Rat )	-	-
Zinc Phosphate 7779-90-0	> 5000 mg/kg ( Rat )	-	-
Phosphoric Acid 7664-38-2	= 1530 mg/kg ( Rat )	= 2740 mg/kg ( Rabbit )	> 850 mg/m <sup>3</sup> ( Rat ) 1 h
Colloidal silica 7631-86-9	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 2.2 mg/L ( Rat ) 1 h
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg ( Rat )	= 99 mg/kg ( Rabbit )	= 450 ppm ( Rat ) 4 h

**Information on physical, chemical and toxicological effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity** May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
Iron(III) oxide 1309-37-1		Group 3		
Talc 14807-96-6		Group 3		
Colloidal silica 7631-86-9		Group 3		
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3		
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2	Group 1		X

**Legend**

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Not determined

**Persistence/Degradability**

Not determined

**Bioaccumulation**

Not determined

**Mobility**

Not determined

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS**

**Waste Treatment Methods**

- Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.
- Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Zinc Phosphate 7779-90-0	Toxic
Phosphoric Acid 7664-38-2	Corrosive
Barium Sulfate 7727-43-7	Toxic soluble

**14. TRANSPORT INFORMATION**

- Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
- DOT** Not regulated
- IATA** Not regulated
- IMDG** Not regulated

**15. REGULATORY INFORMATION**

**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Iron(III) oxide	Present	X		Present		Present	X	Present	X	X
Zinc Phosphate	Present	X		Present		Present	X	Present	X	X
Talc	Present	X		Present		Present	X	Present	X	X
Phosphoric Acid	Present	X		Present		Present	X	Present	X	X
Petroleum distillates, solvent dewaxed heavy paraffinic	Present	X		Present		Present	X	Present	X	X

**Legend:**

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*
- AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations****CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric Acid 7664-38-2	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

**SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Zinc Phosphate - 7779-90-0	7779-90-0	1-10	1.0
Barium Sulfate - 7727-43-7	7727-43-7	<1	1.0
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	<1	1.0

**CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc Phosphate		X		
Phosphoric Acid	5000 lb			X

**US State Regulations****California Proposition 65**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Iron(III) oxide 1309-37-1	X	X	X
Talc 14807-96-6	X	X	X
Zinc Phosphate 7779-90-0	X		X
Phosphoric Acid 7664-38-2	X	X	X
Barium Sulfate 7727-43-7	X	X	X
Colloidal silica 7631-86-9	X	X	X
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X



**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health Hazards</b> Not determined	<b>Flammability</b> Not determined	<b>Instability</b> Not determined	<b>Special Hazards</b> Not determined
<b><u>HMIS</u></b>	<b>Health Hazards</b> 1	<b>Flammability</b> 0	<b>Physical Hazards</b> 0	<b>Personal Protection</b> E

Issue Date: 05-Mar-2013  
 Revision Date: 21-Apr-2015  
 Revision Note: New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**