

# UNITED

LABORATORIES

## United 139

# Dry Spray Lubricant and Release Agent

- NO-HEXANE
- NON-CHLORINATED
- COLORLESS, ODORLESS AND STAINLESS, YET MORE SLIPPERY THAN SILICONE OILS.

### DIRECTIONS:

Shake can vigorously, rattling agitator ball for at least 1 minute. Surface must be clean and dry. Hold container 5 to 10 inches (13 to 25 cm) from surface and spray a thin film on area.

Made with an extremely fine fluorotelomer powder with outstanding microscopic film forming properties. It is the perfect release agent because it provides very efficient lubrication without the dangers and inconveniences of oily silicones or messy graphite. It retains its lubricating power at extreme temperatures from minus 100°F (-73°C) to over 500°F (260°C), and resists flushing with water or solvents.

**FOR FOOD USE:** Avoid food contamination during use and storage. Do not use on food contact surfaces.

### FOR SPECIALIZED USE:

It is designed for special commercial and industrial applications; works well on drawers, hinges, springs, pulleys, chain drives, plastics, rubber, metals, leather, wood, glass, paper and other smooth surfaces. May be used as a high-efficiency mold release.

**FOR FOOD PLANT AND OTHER INDUSTRIAL USE.**



Made in USA

1021

**DANGER:** Extremely Flammable Aerosol. Contains gas under pressure; may explode if heated. Causes skin and serious eye irritation. May cause drowsiness and dizziness. May be fatal if swallowed and enters airways.



Keep away from heat, sparks, open flames, and hot surfaces. –No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Wash hands thoroughly after handling. Wear protective gloves and eye protection. If on skin:

Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Avoid breathing mist, vapors, and spray. Use only outdoors or in a well-ventilated area. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Dispose of contents and container in accordance with local, state, and federal regulations.

**CONTAINS (CAS#):** Propane/n-Butane (68476-86-8); Petroleum Distillates, hydrotreated light (64741-66-8); Heptane, Branched, Cyclic, and Linear (426260-76-6); Isopropyl Alcohol (67-63-0); Polytetrafluoroethylene (9002-84-0).

An SDS for this product is available through United's website, [www.unitedlabsinc.com](http://www.unitedlabsinc.com). Please read the SDS carefully and follow all directions when using or handling this product.

**DANGER**  
**EXTREMELY FLAMMABLE AEROSOL.**  
**CONTAINS GAS UNDER PRESSURE;**  
**MAY EXPLODE IF HEATED.**  
**KEEP OUT OF REACH OF CHILDREN.**  
**SEE SIDE PANEL FOR ADDITIONAL**  
**PRECAUTIONARY STATEMENTS.**

**NET WT. 10 oz. (284 g)**

*PRECAUCION AL USARIO: Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.*

**Sold By:**

**UNITED LABORATORIES, INC.**  
**320 37th Avenue • St. Charles, IL 60174**  
**1-800-323-2594 • [www.unitedlabsinc.com](http://www.unitedlabsinc.com)**