

UNITED

L A B O R A T O R I E S

Distilled from Organic Plant and Vegetable Material. Contains no petroleum distillates.

DIRECTIONS:

Use a sufficient quantity of **Grease Trap Maintainer** to provide approximately a 1" (2.5 cm) layer of the solvent on the surface of the grease trap. Each quart (946 mL) will cover 60 square inches (387 square centimeters) of surface with the depth so a grease trap one foot square (.1 square m) will require a little over two quarts (1.9 L) for the initial maintenance dosage. Thereafter add one pint (473 mL) per week for normal loading. Traps which carry heavy loads of fats, oils and greases, will require larger or more frequent maintenance dosages. **Grease Trap Maintainer** can be poured into the drain nearest the grease trap, or the grease trap cover can be removed, and **Grease Trap Maintainer** can be added directly to the trap. If the trap is heavily loaded with grease it is suggested a manual cleaning of the trap be done, before the initial dosage of **Grease Trap Maintainer** is added. Under normal conditions, the regular use of **Grease Trap Maintainer** should reduce the need for manual cleaning of the trap.

When using a metering pump with this product, you must use Viton® tubing.

An SDS for this product is available through United's website, www.unitedlabsinc.com, providing 24 hour access. Please read the SDS carefully and follow all directions when using or handling this product. Never reuse empty containers. Incompatible materials may adversely react.

United 393

Grease Trap Maintainer


WARNING

KEEP OUT OF REACH OF CHILDREN.
See other cautions on back/side panel.

PRECAUCION AL USUARIO:

Si usted no puede leer Ingles, pregunte a alguien que le traduzca esta etiqueta para usted antes de uso.

Manufactured and Sold Exclusively By:
UNITED LABORATORIES, INC.
320 37th Avenue • St. Charles, IL 60174
1-800-323-2594 • www.unitedlabsinc.com

WARNING: Flammable liquid and vapor. Keep away from heat/sparks/open flames/hot surfaces. 
— **No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection.**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction. Store in a well-ventilated place. Keep cool. Dispose of contents/container to an approved waste disposal plant.

FIRST AID MEASURES:

IF IN EYES: Immediately flush with plenty of water for up to 15 minutes. Get prompt medical attention.

IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If symptoms develop, seek medical attention.

IF INHALED: Remove to fresh air. If symptoms develop, seek medical attention. If not breathing, give artificial respiration.

IF SWALLOWED: Do not induce vomiting. Get medical attention immediately. If vomiting occurs, have victim lean forward to reduce risk of aspiration.

CONTAINS (CAS#): D-limonene (94266-47-4)