

**1. PRODUCT AND COMPANY IDENTIFICATION****Product identifier****Product Name** United 103 SPRAY TRIUMPH**Other means of identification****SDS#** UNITED-103**Recommended use of the chemical****And restrictions on use****Recommended use** Rust Converter and Primer Coat  
**Uses Advised Against** For industrial and institutional use only.**Details of the supplier of the safety data sheet****Company Name**United Laboratories, Inc.  
320 37th Avenue  
St. Charles, IL 60174  
www.unitedlabsinc.com**Emergency telephone number****Emergency Telephone** 800-323-2594 (to reorder)  
INFOTRAC 1-800-535-5053 (North America)  
1-352-323-3500 (International)**2. HAZARDS IDENTIFICATION****Classification****OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable Aerosol	Category 1
Eye irritation	Category 2A
Specific target organ toxicity, single exposure	Category 3
Specific target organ toxicity, repeated exposure	Category 2

**Label elements****Emergency Overview****Danger****Hazard statements**

Extremely flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.

**Appearance** Clear brown**Physical state** Liquid**Odor** Solvent odor**Prevention**

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust, fume, gas, mist, spray and vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye protection, face protection.

**Response**

If inhaled: Remove individual to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and able to do so. Continue rinsing. Call poison center or physician if you feel unwell. If eye irritation persists: Get medical advice/attention.

**Storage**

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep the container tightly closed. Store in a well-ventilated place.

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)**

Not known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Acetone, propan-2-one, propanone	67-64-1	40-60	*
Isobutane	75-28-5	10-20	*
Dimethyl Ether	115-10-6	10-20	*
Ethanediol, ethylene glycol	107-21-1	2.5-10	*
Tannic Acid	1401-55-4	2.5-10	*
2-propanol	67-63-0	2.5-10	*
Propane	74-98-6	2.5-10	*
Oxalic acid	144-62-7	1-2.5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**First aid measures****General**

If breathing is difficult, give oxygen. Get immediate medical attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves, show this sheet where possible. Keep victim warm and rested.

**Skin Contact**

Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor/physician. For minor skin contact, avoid spreading material on unaffected skin. Wash contaminated clothing before reuse.

**Eye contact** Rinse immediately with plenty of water for at least 15 minutes. If contact lens is present do not delay irrigation or attempt to remove the lens. Immediately call a poison center or doctor/physician.

**Inhalation** Remove individual to fresh air and keep at rest in a position comfortable for breathing. Artificial respiration and /or oxygen if necessary. Do not apply mouth-to-mouth resuscitation. Induce artificial respiration with the aid of a pocket mask equipped with one-way valve of other proper respiratory medical device. Call a physician immediately.

**Ingestion** Rinse mouth with water. Get immediate medical advice/attention. Do not induce vomiting without medical advice. Drink plenty of water. If vomiting occurs have person lean forward.

**Most important symptoms and effects, both acute and delayed**

Causes serious eye irritation. May cause drowsiness or dizziness. Headache, nausea, vomiting. Irritation of the nasal mucous membranes. Irritation to throat. After inhalation, irritation of the nasal mucous membranes. May cause drowsiness or dizziness. Headache. Nausea. Vomiting. No effect known for skin contact. Causes serious eye irritation. Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically. Symptoms may be delayed. Keep watching the victim.

**5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media**  
Dry powder. Alcohol-resistant foam. Water fog. Carbon Dioxide.

**Unsuitable extinguishing media** Do not use water jet since it may cause the fire to spread.

**Specific hazards arising from the chemical**  
Extremely flammable aerosol. Under fire conditions closed containers may rupture or explode. Combustion produces irritation gases. Contents under pressure. Pressurized container: may burst if heated. Upon combustion; CO and CO2 are formed. Toxic gases may be formed. Irritation gases. In case of fire, corrosive gases come free.

**Protective equipment and precautions for firefighters**  
Exercise caution when fighting any chemical fire. Move containers away from the fire area if this can be done without risk. Use water spray or fog for cooling exposed containers. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

**Specific Methods**  
Do not enter fire area without proper protective equipment, including respiratory protection.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Stay upwind/keep distance from source. Evacuate unnecessary personnel. Vapors may travel long distances along ground before igniting/flashing back to vapor source.

**Non-emergency personnel** Protective equipment: Do not enter without appropriate protective equipment. Advise local authorities if considered necessary. Do not touch spilled material. Ventilate the area thoroughly, especially low-lying areas (basements, workpits etc.).

**Emergency responders  
Emergency procedures** Protective equipment: Equip cleanup crew with proper protection. Stop leak if safe to do so. Stop release. Ventilate area.

**Environmental precautions**

**Environmental precautions** Avoid release into the environment. Contact local authorities if considered necessary. Stop leak if safe to do so. Do not contaminate water with the product or its container. Prevent entry to sewers and public waters. Do not allow to enter drains or water courses.

**Methods and material for containment and cleaning up**

**Methods for containment** Eliminate every possible source of ignition. Prevent the product from entering drains or confined areas. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Form with air vapors (heavier than air) who stay on the floor. Stop leak if safe to do so. Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid. Isolate area until gas has dispersed. Collect spillage.

**Methods for cleaning up** Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Dispose of hazardous waste.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Do not use if spray button is missing or defective. Pressurized container: Do not pierce or burn, even after use. Keep away from heat, sparks and flame. Avoid prolonged and repeated contact with skin. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Do not breathe gas/vapor/aerosol. Do not cut, weld solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not spray on a naked flame or any incandescent material. Do not smoke with handling product. Ground/bond container and receiving equipment. Do not reuse empty containers. Avoid contact with skin and eyes. Use only outdoors or in a well-ventilated area. Observe normal hygiene standards. Wash hands and other exposed areas with mild soap and water before we eat, drink or smoke and when leaving work. Do not discharge the waste into the drain. Observe normal hygiene standards. Wash hands thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store in well-ventilated place. Pressurized container. Do not puncture, incinerate or crush. No smoking. Do not handle or store near flame, heat, hot surfaces and sources of ignition. Avoid exposure to direct sunlight, exceeding 50°C/122°F. (<49°C Refrigerate). Keep stored in a cool area. Level 2 Aerosol

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b>Exposure Guidelines</b>		No Exposure limits noted for ingredient(s).	
<b>Chemical Name</b>	<b>ACGIH TLV</b>	<b>OSHA PEL</b>	<b>NIOSH IDLH</b>
Ethanediol, ethylene glycol 107-21-1	TWA: 25ppm	-	-
Acetone, propan-2-one, propanone 67-64-1	STEL: 500 ppm TWA: 250 ppm	TWA: 2400 mg/m <sup>3</sup> TWA 1000 ppm	-
2-propanol 67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup> TWA 400 ppm	-
Ethanediol, ethylene glycol 107-21-1	STEL: 400 ppm STEL: 10mg/m <sup>3</sup>	-	-
Propane 74-98-6	TWA: 1000 ppm	PEL/TWA: 1000 ppm PEL/TWA: 1800 mg/m <sup>3</sup>	-
Isobutane 75-28-5	STEL: 1000 ppm	-	-
Oxalic acid 144-62-7	TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>	PEL/TWA: 1 mg/m <sup>3</sup>	-

NIOSH IDLH *Immediately Dangerous to Life or Health*

**Appropriate engineering controls**

**Engineering Controls** Ensure good general ventilation of the work station. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Protective goggles.

**Skin and body protection** Protective gloves. Wear appropriate protective clothing.

**Respiratory protection** Use appropriate personal protective equipment when risk assessment indicates this is necessary.

**General Hygiene** When using do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

**Physical state** Gas

**Appearance** Clear to brown aerosol spray

**Color** Clear, brown

**Odor** Solvent-like

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available.	
Specific Gravity	0.519 g/ml Estimated	
Percent volatile	No information available.	
Viscosity	No Information available.	
Melting point/freezing point	No Information available.	
Flash point	-156.0°F Propellant estimated	
Boiling point and Boiling range	74.69°F Estimated	
Evaporation rate	No information available.	
Flammability (solid, gas)	No information available.	
Upper flammability limit:	No information available.	
Lower flammability limit:	No information available.	
Vapor pressure	No information available.	
Vapor density	No Information available.	
Relative density	No information available.	
Water solubility	Complete	
Partition coefficient	No information available.	
Auto-ignition temperature	No information available.	
Decomposition temperature	No information available.	
VOC (weight %)	No information available.	

**10. STABILITY AND REACTIVITY**

**Reactivity**  
 Upon combustion: CO and CO2 are formed. Toxic gases may be formed. Irritating gases. In case of fire, corrosive gases come free.

**Chemical stability**  
 Risk of explosion. Risk of ignition. Unstable.

**Possibility of Hazardous Reactions**

Hazardous polymerization does not occur.

**Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources. Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point. Incompatible materials.

**Incompatible materials**

Strong oxidizing agents. Nitrates. Peroxides. Fluorine. Chlorine. Do not mix with other chemicals. May form an explosive mixture in the presences of air.

**Hazardous Decomposition Products**

Carbon monoxide. Carbon dioxide. Phosphorous oxide.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

Skin and eyes contact; inhalation.

**Product Information**

<b>Inhalation</b>	Irritation of the nasal mucous membranes. May cause drowsiness or dizziness. Headache. Nausea. Vomiting.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Skin Contact</b>	No effects known.
<b>Ingestion</b>	Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

**Information on toxicological effects**

**Acute toxicity** Narcotic effects. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Chemical Name	Dermal LD50	Oral LD540	Inhalation LC50
Ethanediol, ethylene glycol 107-21-1 ATE CLP	10626 mg/kg (Rabbit) 10626.000 mg/kg body weight	4700 mg/kg (Rat) 500.000 mg/kg body weight	-
Tannic acid (1401-55-4) ATE CLP	-	2260 mg/kg (Rat) 2260.000 mg/kg body weight	-
2-propanal 67-63-0 ATE CLP	12882 mg/kg (Rabbit: experimental value) CLP: 16400000 mg/kg body weight	5840 mg/kg (Rat, experimental value) 5045.000 mg/kg body weight	10000 ppm (Rat, experimental value)
Oxalic acid 144-62-7 ATE CLP	500.000 mg/kg body weight	1100.000 mg/kg body weight	-

\*Estimates for product may be based on additional component data not shown.

<b>Skin corrosion/irritation</b>	Not classified.
<b>Serious eye damage/irritation</b>	Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	Not classified.
<b>Germ cell mutagenicity</b>	Not classified.
<b>Carcinogenicity</b>	Not classified. Tannic Acid (1401-55-4), IARC Group – 3 not classified. 2-Propanol (67-63-0), IARC Group – 3 – not classified.
<b>Reproductive toxicity</b>	No classified.
<b>STOT - single exposure</b>	May cause drowsiness and dizziness.
<b>STOT - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Not classified.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Toxic to aquatic life with long lasting effect.

**Persistence and degradability**

Readily biodegradable in water. Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions.

Biochemical oxygen demand (BOD) – 1.19 g. Chemical oxygen demand (COD) – 2.23 g. ThOD – 2.40 g. BOD (% of ThOD).

**Bioaccumulation**

Chemical Name	Log Pow
2-propanol (67-63-0)	0.05 (experimental value)25°C Low potential for bioaccumulation (log kow <4)

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Contents under pressure. Do no puncture, incinerate or crush.

**Waste disposal regulations** Dispose contents/container to comply with local/regional/national regulations.

**14. TRANSPORT INFORMATION**

When transported by ground, this product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.306. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

**DOT**

**UN/ID No.** UN1950  
**Proper shipping name** Aerosols, flammable (each not exceeding 1 L capacity), 2.1  
**Transport hazard class(es)** 2.1 – flammable gas 49 CFR 173.115  
**Label(s)** 2.1  
**Packaging Non Bulk** None  
**Packaging Bulk** None  
**Special provisions** N82  
**Packaging exceptions** 306  
**Vessel stowage location** A  
**Vessel stowage other** 25 - Protected from sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

**IATA**

**UN/ID No.** UN1950  
**UN proper shipping name** UN1950  
**Transport hazard class(es)** Aerosols  
**Quality Limitations Passenger Aircraft/rail(49 CFR 173.527)** 2.1 – flammable gases  
 75 kg  
**Quality Limitations cargo only** 150 kg

**IMDG**

**UN/ID No.** UN1950  
**Proper shipping name** UN1950  
**Transport hazard class** Aerosols  
**Environmental class** 2.1 – flammable gases  
**Marine pollutant** Yes (IMDG only)

**IMDG**

**UN/ID No.** UN1950  
**Proper shipping name** Aerosols  
**Transport hazard class** 2.1 – flammable gases

**Environmental Class** Yes.  
**Marine Pollutant**

**15. REGULATORY INFORMATION**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) Inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372. Ethanediol, ethylene glycol (107-21-1), 2,5-10, CERCLA RQ 5000lb. 2-propanol (67-63-0), 2,5-10, CERCLA RQ 5000lb. Acetaldehyde (75-07-0), <0.01%, CERCLA RQ 1000lb.

**US Federal Regulations**

**Superfund Amendments and Reauthorization Act of 1986**

<b>Acute health hazard</b>	Yes
<b>Delayed hazard</b>	No
<b>Fire hazard</b>	Yes
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**US State Regulations**

**California Proposition 65**

This product can expose you to acetaldehyde, which is known to the State of California to cause cancer, and ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**16. OTHER INFORMATION**

<b><u>NFPA</u></b>	<b>Health hazards</b> 3	<b>Flammability</b> 3	<b>Reactivity</b> 1	<b>Physical and Chemical Properties</b> Yes
<b><u>HMIS</u></b>	<b>Health hazards</b> 3	<b>Flammability</b> 3	<b>Reactivity</b> 1	<b>Personal protection</b> B

**Issue Date** 28-Sept-2015  
**Revision Date** 21-Nov-2022  
**Revision Note** Regulatory revisions

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**