

Issue Date: 25-Dec-2015

Revision Date: 12-Sept-2023

Version 3

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name United 416 Extra Strength Cooling Tower Concentrate

Other means of identification

SDS # UNITED-416

UN/ID No UN3266

Recommended use of the chemical and restrictions on use

Recommended Use Extra strength cooling tower concentrate.

Uses Advised Against For industrial and institutional use only.

Details of the supplier of the safety data sheet

Supplier Address

United Laboratories, Inc.
320 37th Avenue
St. Charles, IL 60174
www.unitedlabsinc.com
www.unitedlabsinc.ca

Emergency Telephone Number

Company Phone Number 800-323-2594 (to reorder)
Emergency Telephone (24 hr) INFOTRAC 1-800-535-5053 (North America)
1-352-323-3500 (International)

2. HAZARDS IDENTIFICATION

Appearance Brown liquid

Physical State Liquid

Odor Sharp, acrid odor

Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed.

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage.



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

Immediately call a poison center or doctor/physician. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician. If on skin (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician. If swallowed: Rinse mouth. Do not induce vomiting.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Potassium hydroxide	1310-58-3	1-10
HEDP	2809-21-4	1-10

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

General Advice	Immediately call a poison center or doctor/physician.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion	Rinse mouth. Do not induce vomiting.

Most important symptoms and effects

Symptoms May be harmful if swallowed. Causes severe skin burns and eye damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water. Foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products When strongly heated, as in a fire, this product may produce carbon monoxide, carbon dioxide, nitrogen oxides and oxides of phosphorous.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Spills should be collected to prevent contamination of waterways. Dike spill and recover quickly into suitable containers. Flush residual with large amounts of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep this product in a properly labeled, tightly closed container. Do not allow this product to freeze, as the container may split or rupture.

Incompatible Materials Acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Caustic Soda 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate engineering controls

Engineering Controls Mechanical ventilation not normally required and local exhaust is generally adequate to maintain airborne concentrations below OSHA PELs.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety goggles are recommended.

Skin and Body Protection Chemical resistant gloves are recommended. Long sleeve shirt and long pants.

Respiratory Protection Use with adequate ventilation and avoid breathing vapors.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Sharp, acrid odor
Appearance	Brown liquid		
Color	Brown		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	11.5-13	
Melting Point/Freezing Point	No information available.	
Boiling Point/Boiling Range	100 °C / 212 °F	
Flash Point	None	
Evaporation Rate	~1	
Flammability (Solid, Gas)	Liquid-Not applicable	
Upper Flammability Limits	No information available.	
Lower Flammability Limit	No information available	
Vapor Pressure	No information available.	
Vapor Density	No information available.	
Specific Gravity	1.16	(Water = 1)
Water Solubility	Completely soluble	
Solubility in other solvents	No information available.	
Partition Coefficient	No information available.	
Auto-ignition Temperature	No information available.	
Decomposition Temperature	No information available.	
Kinematic Viscosity	No information available.	
Dynamic Viscosity	No information available.	
Explosive Properties	No information available.	
Oxidizing Properties	No information available.	
VOC Content	None	

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to Avoid

Excessive heat and fire. Incompatible Materials.

Incompatible Materials

Acids. Strong oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition produces oxides of phosphorus, nitrogen and carbon.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Do not inhale.
Ingestion	May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Aminotrimethylene Phosphonic Acid 6419-19-8	2100 mg/kg (Rat)	> 6310 mg/kg (Rabbit)	-
Potassium hydroxide 1310-58-3	214 mg/kg (Rat)	-	-
HEDP 2809-21-4	2400 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Sodium Lignosulfonate 8061-51-6	> 40 g/kg (Rat)	-	-
Phosphorous acid 13598-36-2	1500 mg/kg (Rat)	-	-
Caustic Soda 1310-73-2	-	1350 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No information available.

Persistence/Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Potassium hydroxide 1310-58-3	Toxic Corrosive
Caustic Soda 1310-73-2	Toxic Corrosive

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN3266
Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide)
Hazard Class 8
Packing Group III

IATA

UN/ID No UN3266
Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide)
Hazard Class 8
Packing Group III

IMDG

UN/ID No UN3266
Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Potassium hydroxide)
Hazard Class 8
Packing Group III

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Potassium hydroxide	Present	X		Present		Present	X	Present	X	X
HEDP	Present	X		Present		Present	X	Present	X	X

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*
- AICS - Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Soda 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda	1000 lb			X

US State Regulations

California Proposition 65

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X
Phosphorous acid 13598-36-2	X		
Caustic Soda 1310-73-2	X	X	X

16. OTHER INFORMATION

NFPA	Health Hazards No information available	Flammability No information available	Instability No information available	Special Hazards No information available
HMIS	Health Hazards 2	Flammability 0	Physical Hazards 0	Personal Protection N+P

Issue Date: 25-Dec-2015
 Revision Date: 12-Sept-2023
 Revision Note: Date change only

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet